POPULATION ESTIMATES		LONG-T	ERM CARE		LOCAL HEALTH DEPARTMENTS				
					Per				
Total 2003 Population	Community Options	and MA W	lai ver	10, 000					
·		as HSRS reports c	osts for	servi ces	Staffing - FTE	Number	Popul ati on		
Population per square mile	20				Total staff	6. 3	4.5		
County ranking in state (1-72) 60		CI	i ents	Costs	Admi ni strati ve	1. 0	0. 7		
	<i>'</i>	COP	26	\$99, 986	Public health nurs	ses 2.8	2. 0		
Age Female Male	Total	COP MA Waiver *			Other prof. staff	1. 3	0. 9		
0-14 1, 330 1, 320	2, 650	CI P1A	0	\$0	Techni cal /Paraprof	f. 0. 4	0. 3		
15-19 480 500	980	CI P1B	34	\$628, 560	Total staff Administrative Public health nurs Other prof. staff Technical/Paraprof Support staff	0. 7	0. 5		
20-24 370 410	780	MA Walver ^ CIP1A CIP1B CIP2 COP-W	11	\$148, 438					
25-29 340 360	700	COP-W	51	\$314, 598	Fundi ng		Per capi ta		
30-34 400 410	810	CSLA Brain Injury Total COP/Wvrs	0	\$0	Fundi ng Total Local Taxes	\$292, 379	\$20. 92		
35-39 450 490	940	Brain Injury	1	\$61, 856	Local Taxes	\$199, 952	\$14. 31		
	1, 120	Total COP/Wvrs	123	\$1, 153, 452					
45-54 990 1, 170	2, 160				LI CENSED E	STABLI SHME	NTS		
55-64 710 780	1, 490	\$137, 791 of th	e above w	aiver costs					
65-74 620 580	1, 200	were paid as loc	al match/	overmatch	Type	Capaci ty	Facilities		
75-84 480 330	810	using COP funds.	This am	nountis	Bed & Breakfast	. 16	4		
85+ 220 110 Total 6,940 7,000	320	not included in	above COF	costs.	Camps	288	9		
Total 6, 940 7, 000	13, 940				Hotels, Motels	94	9		
		* Wai ver costs r	eported h	nere	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	28	12		
Age Female Male	Total	include federal	fundi ng.		FUUI 3		J		
0-17 1, 610 1, 620	3, 230		Ü		Restaurants		80		
	4, 750	CI	i ents	Costs	Vendi ng		0		
45-64 1, 700 1, 950	3, 650	Eligible and			•				
65+ 1, 320 1, 020	2, 330	Eligible and Waiting	0	n/a					
Total 6, 940 7, 000	13, 940			1					
		(Family Care not	provi ded	in county)	WIC PAR	RTI CI PANTS			
Poverty Estimates for 2000									
Estimate (C.I	1.+/-)						Number		
All ages 1,030	84	Note: Eligible an	d waiting	clients	Pregnant/Postpartu	ım	128		
7. 5%	(8%)	will be phased	into the	COP and MA	Infants		138		
Ages 0-17 285	38	Wai vers as avai	l abl e.		Children, age 1-4		231		
All ages 1,030 7.5% Ages 0-17 285 8.2%	(13%)				Total		497		
					OANOED INC	N DENOE (00	00)		
EMPLOYMENT					CANCER INC	TDENCE (20	02)		
Average wage for jobs covered	24 204	Home Heal th Agenc	ı es	0	Primary Site		7		
by unemployment compensation \$3	31, 384	Patients	000	98	Breast		7		
(place of work)		Patients per 10,	000 pop.	70	Cervi cal		2		
Labor Force Estimates A	Annual	Niconal con Hanna			Colorectal		6		
Labor Force Estimates Av	verage	Nursing Homes		2 151	Lung and Bronchus		8		
Civilian Labor Force	0.4/0	Li censed beds Occupancy rate Residents on Dec		151	Prostate		19		
Civilian Labor Force	8, 463	Occupancy rate	. 21	71.6%	Other sites		32		
Number upomplexed	8, U3 I	Residents on Dec	. 3 l	103	Total		74		
Civilian Labor Force Number employed Number unemployed Unemployment rate	43Z	Residents age 65	or or aer	42	Note: Total a abs	ara far			
unemproyment rate	J. I%	per 1,000 popul	ation	43	Note: Totals shown				
				 	invasive cand	, 			

			NATA	IIIY				
TOTAL LIVE BIRTHS		150	Birth Order		Percent	Marital Status		
			First	61	41	of Mother	Bi rths	Percent
Crude Live Birth Rate	4	10. 8	Second	54	36	Marri ed	114	76
General Fertility Rat		57. 7	Thi rd	21	14	Not married	36	24
deneral relativity had		37.7	Fourth or higher	1/	9	Unknown	0	0
Live hirths with rone	rtod		Unknown	0	Ó	OTIKITOWIT	O	U
Live births with repo congenital anomalies	n teu	2 1.3%	UTIKITOWIT	U	U	Educati on		
Congeni tai anomarres		2 1.3%				of Mother	Bi rths	Percent
Dolivery Tyro	Dirtho	Doroont	1st Dropotal Visit	Di rethe	Doroont		מון נווס	
Delivery Type	אוו נווא	Percent	1st Prenatal Visit		Percent	Elementary or le	ss 3	2
Vagi nal after	_	2	1st trimester	131	87	Some high school	4	3
_previ ous cesarean	5	3	2nd trimester	12	8	High school	37	25
Forceps	0	_0	3rd trimester	7	5	Some college	67	45
Other vaginal	107	71	No visits	0	0	College graduate	39	26
Other vaginal Primary cesarean	21	14	Unknown	0	0	Unknown	0	0
Repeat cesarean	17	11						
			Prenatal Visits		Percent	Smoking Status		
Birthweight	Bi rths	Percent	No visits	0	0	of Mother	Bi rths	Percent
<1,500 gm	0	0. 0	1-4	5	3	Smoker	23	15
1,500-2,499 gm	9	6. 0	5-9	33	22	Nonsmoker	127	85
2,500+ gm	141	94. 0	10-12	60	40	Unknown	0	0
Unknown	0 9 141 0	0	13+	52	35			
			Unknown	0	0			
			Low Birthweight		Tri mest	er of First Prenata	l Visit	
5 (5.1.1.1.1.	D D		(under 2.500 am)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births P	Percent	(under 2,500 gm) Births Percent	BI L.TUS	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Race/Ethnicity White	Births P	96	Low Birthweight (under 2,500 gm) Births Percent 9 6.3	127	imester	2nd Trimester	Other/	
Race/Ethnicity White Black/Afr. American	Births P	96 1	(under 2,500 gm) Births Percent	BI L.TUS	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Race/Ethnicity White Black/Afr. American American Indian	Births P 144 2 1	96 1 1	(under 2,500 gm) Births Percent	127	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no	Births P 144 2 1 2	96 1 1 1	(under 2,500 gm) Births Percent	127	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	144 2 1 2 0	96 1 1 1 0	(under 2,500 gm) Births Percent 9 6.3 * * * * * * .	127 * * *	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
Race/Ethnicity White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	144 2	96 1 1 1	(under 2,500 gm) Births Percent	127	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	144 2 1 2 0	96 1 1 1 0	(under 2,500 gm) Births Percent 9 6.3 *	127 * * *	i mester Percent 88	2nd Trimester Births Percent 12 8 * * * * * * * * * * * * * * * * * *	Other/ Bi rths 5 * * *	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	144 2 1 2 0 1	96 1 1 1 0 1	(under 2,500 gm) Births Percent 9 6.3 * * * * * * * * * * * * * * * * * * *	81 rtns 127 * * * *	i mester Percent 88	2nd Trimester Births Percent 12 8 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	144 2 1 2 0 1	96 1 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	* * * * * * * * * * * * * * * * * * *	i mester Percent 88	2nd Trimester Births Percent 12 8 * * * * * * * * * * * * * * * * * *	Other/Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	144 2 1 2 0 1 Fe Bi rths	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 * * * * * * * * * * * * * * * * * * *	IST TO 127 * * * * 1st To Bi rths	i mester Percent 88	2nd Trimester Births Percent 12 8 * * * * * * * * * * * * * * * * * *	Other/Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	144 2 1 2 0 1 	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	IST TO 127 * * * * 1st To Bi rths	i mester Percent 88	2nd Trimester Births Percent 12 8 * * * * * * * * * * * * * * * * * *	Other/Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	144 2 1 2 0 1 Fe Bi rths 0 3	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	BI rths 127 * * * * 1st Tr Bi rths	i mester Percent 88	2nd Trimester Births Percent 12 8 * * * * * * * * * * * * * * * * * *	Other/Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	144 2 1 2 0 1 Fe Bi rths 0 3 4	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	BI rths 127 * * * * 1st Tr Bi rths	i mester Percent 88	2nd Trimester Births Percent 12 8 * * * * * * * * * * * * * * * * * *	Other/ Births 5 * * * 	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	144 2 1 2 0 1 	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	Ist Tr Bi rths	i mester Percent 88	2nd Trimester Births Percent 12 8 * * * * * * * * * * * * * * * * * *	Other/Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	144 2 1 2 0 1 	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	Ist Tr Bi rths 1st Tr Bi rths 29	i mester Percent 88	2nd Trimester Births Percent 12 8 * *	Other/ Births 5 * * * 	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	144 2 1 2 0 1 	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	127 * * * * * * * * * * * * * * * * * * *	i mester Percent 88	2nd Trimester Births Percent 12 8 * *	Other/Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	144 2 1 2 0 1 	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	127 * * * * * * * * * * * * * * * * * * *	i mester Percent 88	2nd Trimester Births Percent 12 8 * *	Other/Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	144 2 1 2 0 1 	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	127 * * * * * * * * * * * * * * * * * * *	i mester Percent 88	2nd Trimester Births Percent 12 8 * *	Other/Births 5 * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	144 2 1 2 0 1 	96 1 1 0 1 	(under 2,500 gm) Births Percent 9 6.3 *	127 * * * * * * * * * * * * * * * * * * *	i mester Percent 88	2nd Trimester Births Percent 12 8 * *	Other/Births 5 * * *	Percent 3

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (neonatal, and Perinatal and	(except in Dostneor Difetal de	nfant) are p natal death eath rates a	per 100,000 population. rates are per 1,000 li are per 1,000 live birt culated for fewer than	Infant, ve births. hs plus	
Di sease Number Campyl obacter Enteritis 5 Gi ardi asis 5 Hepatitis Type A 0	TOTAL DEATHS Crude Death Ra	ate	145 1, 040	Selected Underlying Cause Heart Disease (total) Ischemic heart disea	Deaths 40 se 19	Rate 287
Hepatitis Type B** Hepatitis Type B** Hepatitis NANB/C Legionnaire's	Age 1-4 5-14	Deaths	Rate	Cancer (total) Trachea/Bronchus/Lun Col orectal		251
Lyme 11 Measles 0 Meningitis, Aseptic 0	15-19 20-34 35-54	3 2 6	· ·	Female Breast Cerebrovascular Disea Lower Resp. Disease	10	
Meningitis, Bacterial 0 Mumps 0 Pertussis 0	55-64 65-74 75-84	49	1, 677 6, 048	Pneumonia & Influenza Accidents Motor vehicle	3	•
Sal monel I osi s <5 Shi gel I osi s 8 Tubercul osi s <5	85+	51	15, 785	Di abetes Infect./Parasitic Dis Suicide	 5	
* 2003 provisional data.** Includes all positive HBsAg	Infant Mortality Total Infant Neonatal	Deaths	Rate	* Based on female pop	ul ati on.	
test results.	Neonatal Postneonatal Unknown			ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA		
Sexually Transmitted Disease Chlamydia Trachomatis 11 Genital Herpes 0	Race of Mother White			Al cohol Other Drugs Both Mentioned	11*	
Gonorrhea 0 Syphilis 0	BI ack Hi spani c Laoti an/Hmong			* Includes tobacco us		,
				Note: These data are		
Children in Grades K-12 by	Birthweight <1,500 gm 1,500-2,499 gm			of crash, not	on residence	
Compliance Level Compliant 2, 451 Non-compliant 3 Percent Compliant 99. 9	2, 500-2, 499 giil 2, 500+ gm Unknown			Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Injured K	illed 2
Percent Compliant 99.9	Peri natal Mortal i ty Total Peri natal Neonatal	Deaths	Rate	With Citation: For OWI	5	0
	Total Perinatal Neonatal Fetal			For Speeding Motorcyclist Bicyclist	11 14 0	0 1 0
		•	· 	Pedestri an	2	Ĭ

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta
nj ury-Rel ated:	Al I					Al cohol -Rel ated					
Total	74	5. 3	4. 5	\$18, 084	\$96	Total	22	1.6	6. 2	\$5, 298	\$8
<18	6					18-44	12				
18-44	17					45-64	8				
45-64	19					Pneumonia and I	nfl uenza				
65+	32	13.8	4. 9	\$21, 255	\$292	Total	45	3. 2	3. 4	\$8, 255	\$27
Injury: Hip F	racture			•		<18	11				
Total	7					45-64	8				
65+	4					65+	22	9. 5	3. 0	\$6, 757	\$64
Injury: Poiso	oni ngs					Cerebrovascul ar	Di sease			,	
Total	7					Total	22	1.6	4. 9	\$14, 601	\$23
18-44	4					45-64	5				
						65+	17				
Psychi atri c						Chronic Obstruc	tive Pulm	onary D	i sease		
Total	38	2. 7	7. 7	\$7, 352	\$20	Total	16				
<18	6					<18	1		_		
18-44	17					18-44	2				
45-64	9		•	•	·	45-64	4	•	-	·	•
65+	6			•	•	65+	9		•		•
00.	J	•	•	•	•	Drug-Rel ated	,	•	•	•	•
Coronary Heart	Di sease					Total	7				
Total	70	5. 0	4.3	\$28, 429	\$143	18-44	7	•	•	•	•
45-64	25	6. 9	3.6	\$31, 342	\$215	.5	•	•	•	•	•
65+	42	18. 1		\$26, 394	\$477	Total Hospitali	zations				
001	72	10. 1	٦. ٥	Ψ20, 374	Ψ+77	Total	1 034	74. 2	4 0	\$13, 085	\$970
Malignant Neopl	asms (Ca	ncers).	ΔΙΙ			<18	149	46. 2	3. 1	\$4, 560	\$211
Total	36	2. 6		\$18, 431	\$48	18-44	233	49. 1	3. 4	\$9, 587	\$470
18-44	1	2. 0		ψ10, 1 31	ψ τ ο	45-64	246	67. 5		\$17, 578	\$1, 187
45-64	16	•		•	•	65+	406	174. 5	4. 8	\$15, 500	\$2, 705
65+	19	•	•	•	•	031	400	174.5	4. 0	Ψ13, 300	Ψ2, 703
Neoplasms: Fe		ast (ra	ites for	female no	nulation)	PR	EVENTARI E	HOSPLT	ΔΙΙΖΔΤΙ(NS*	
Total	2	usi (la	103 101	remare po	paratron)	Total	122	8.8	3. 7	\$8, 353	\$73
Neoplasms: Co			•	•	•		14	4. 3		\$0, 333 \$13, 982	\$61
Total	6 - 1 O-1 O-1	1				18-44	15	3. 2	2. 5	\$6, 961	\$22
65+	5	•	•	•	•	45-64	24	6.6	3. 6	\$8, 395	\$55
Neoplasms: Lu		•	•	•	•	65+	69	29. 7	3. 5	\$6, 393 \$7, 500	\$222
Total	3					05+	09	27. 1	3. 3	\$7,500	ΨΖΖΖ
Di abetes						* Hospitalizations	for cond	itions	where ti	mely and	effecti v
Total	6					ambulatory care ca	n reduce	the lik	el i hood	of hospi	tal i zati d
65+	1					I -				•	